MY CARDIAC SARCOIDOSIS EXPERIENCE

From Heart Failure to Heart Transplant




HOW MY HEART TROUBLES ALL BEGAN






FIRST CARDIOVASCULAR EVENT - APR 2010



SYMPTOMATIC BRADYCARDIA


PACEMAKER IMPLANTED







SECOND CARDIOVASCULAR EVENT - APR 2012




SYMPTOMATIC MONOMORPHIC VENTRICULAR TACHYCARDIA


DEFIBRILLATOR IMPLANTED

SORIN AICD






THIRD CARDIOVASCULAR EVENT - SEPT 2012



BRAIN ATTACK

FOURTH CARDIOVASCULAR EVENT - DEC 2012



VENTRICULAR TACHYCARDIA INTERRUPTED BY AICD SHOCK DELIVERED

ENDOCARDIAL ABLATION - JAN 2013

- Ventricular tachycardia ablation with electrophysiology study, 3D mapping, LV pace and record
- Intracardiac echo, programmed stimulation and IV drug infusion, periprocedural ICD programming, and pericardiocentesis

TRANSFER TO UT SOUTHWESTERN - FEB 2013




DYING DAYS IN CVICU - FEB 2013

WEEKS OF CRITICAL CARE













BIVADS

LVADS



Risk Factors for Sensory Perception Dysfunction in the Healthcare Environment

Sensory Overload

- Room close to nurse's station
- ICU or intermediate unit
- Bright lights
- Use of mechanical ventilator
- Use of ECG monitor
- Use of oxygen
- Use of IVs
- Other equipment
- Frequent treatments

Sensory Deprivation


- Private room
- Eyes bandaged
- Bed rest
- Sensory aid not available (hearing aid, glasses)
- Isolation precautions
- Few visitors

HEART TRANSPLANTATION

June 24, 2013



CARDIAC SARCOIDOSIS



Final Diagnosis:

Cardiac Sarcoidosis

Cardiac sarcoidosis is a rare disease in which clusters of white blood cells, called granulomas, form in the tissue of the heart.

Symptoms include:

- Chest pain
- Shortness of breath (dyspnea)
- Fainting (syncope)
- Fatigue
- Irregular heartbeats (arrhythmias)
- Rapid or fluttering heart beat (palpitations)
- Swelling caused by excess fluid (edema)

POST HEART TRANSPLANT (IMMUNO-SUPPRESSION THERAPY)

Wear mask for 90 days at all times in public.
After 90 days, wear in elevators, ER, crowded places, and wear two masks on an airplane
Avoid, turtles, cat litter, soil or gardening, aviaries or birds and their droppings, lakes and rivers.
At 30 times the risk for skin cancer and 50 times the normal person's risk for TB

First year is ROUGH!

Appointments for follow up will become less and less as well as medication adjustments.
Routine labs, procedures such as colonoscopies, cardiac echos, etc etc
The anti rejection drugs are toxic and feed and cause cancers.
Constant surveillance and consistent followups very important for the post heart transplant patients. Most die from kidney failure and skin cancer.





Consider donation of organs if you have not done so and decide if life is something you want to give back to someone.

Thanks!

Contact information;

Davy Hobson

Cell: 903 787 1171

davyhobson@gmail.com

www.shirapromotions.com



WEBSITES & INFO

https://news.heart.org/after-heart-stopped-valentines-day-texas-man-needed-new-heart/

https://www.google.com/search?q=davy%20hobson%20heart

http://davy-davyhobson.blogspot.com/2016/05/davy-d-hobson-bio.html?m=1

http://www.easttexasmatters.com/news/local-news/valentines-day-holds-special-place-in-tyler-mans-new-heart/974159008
http://www.cbs19.tv/news/local/more-than-just-a-day-of-love-/518993816
http://www.kltv.com/story/37508672/couple-celebrates-a-new-heart-for-valentines-day

https://vimeo.com/78946357

http://journals.co-action.net/index.php/mcs/article/view/22638/html
http://www.ketknbc.com/news/etx-man-awaits-heart-transplant-community-helps-pa

ENDOCARDIAL ABLATION - JAN 2013

•Ventricular tachycardia ablation with electrophysiology study, 3D mapping, LV pace and record

•Intracardiac echo, programmed stimulation and IV drug infusion, periprocedural ICD programming, and pericardiocentesis

Diagnosis:

Ventricular Tachycardia

ENDOCARDIAL ABLATION - JAN 2013

•Ventricular tachycardia ablation with electrophysiology study, 3D mapping, LV pace and record

•Intracardiac echo, programmed stimulation and IV drug infusion, periprocedural ICD programming, and pericardiocentesis

Diagnosis:

Ventricular Tachycardia I47.2

ENDOCARDIAL ABLATION - JAN 2013

•Ventricular tachycardia ablation with electrophysiology study, 3D mapping, LV pace and record

•Intracardiac echo, programmed stimulation and IV drug infusion, periprocedural ICD programming, and pericardiocentesis

Diagnosis:

Ventricular Tachycardia I47.2, Ventricular Fibrillation

ENDOCARDIAL ABLATION - JAN 2013

•Ventricular tachycardia ablation with electrophysiology study, 3D mapping, LV pace and record

•Intracardiac echo, programmed stimulation and IV drug infusion, periprocedural ICD programming, and pericardiocentesis

Diagnosis:

Ventricular Tachycardia I47.2, Ventricular Fibrillation I49.01

ENDOCARDIAL ABLATION - JAN 2013

•Ventricular tachycardia ablation with electrophysiology study, 3D mapping, LV pace and record

•Intracardiac echo, programmed stimulation and IV drug infusion, periprocedural ICD programming, and pericardiocentesis

Diagnosis:

Ventricular Tachycardia I47.2, Ventricular Fibrillation I49.01, Cardiomyopathy

ENDOCARDIAL ABLATION - JAN 2013

•Ventricular tachycardia ablation with electrophysiology study, 3D mapping, LV pace and record

•Intracardiac echo, programmed stimulation and IV drug infusion, periprocedural ICD programming, and pericardiocentesis

Diagnosis:

Ventricular Tachycardia I47.2, Ventricular Fibrillation I49.01, Cardiomyopathy I49.2

ENDOCARDIAL ABLATION - JAN 2013

•Ventricular tachycardia ablation with electrophysiology study, 3D mapping, LV pace and record

•Intracardiac echo, programmed stimulation and IV drug infusion, periprocedural ICD programming, and pericardiocentesis

Diagnosis:

Ventricular Tachycardia I47.2, Ventricular Fibrillation I49.01, Cardiomyopathy I49.2 Chronic Systolic Heart Failure

ENDOCARDIAL ABLATION - JAN 2013

•Ventricular tachycardia ablation with electrophysiology study, 3D mapping, LV pace and record

•Intracardiac echo, programmed stimulation and IV drug infusion, periprocedural ICD programming, and pericardiocentesis

Diagnosis:

Ventricular Tachycardia I47.2, Ventricular Fibrillation I49.01, Cardiomyopathy I49.2 Chronic Systolic Heart Failure I50.32

ENDOCARDIAL ABLATION - JAN 2013

•Ventricular tachycardia ablation with electrophysiology study, 3D mapping, LV pace and record

•Intracardiac echo, programmed stimulation and IV drug infusion, periprocedural ICD programming, and pericardiocentesis

Diagnosis:

Ventricular Tachycardia I47.2, Ventricular Fibrillation I49.01, Cardiomyopathy I49.2 Chronic Systolic Heart Failure I50.32, Complete AV Block

ENDOCARDIAL ABLATION - JAN 2013

•Ventricular tachycardia ablation with electrophysiology study, 3D mapping, LV pace and record

•Intracardiac echo, programmed stimulation and IV drug infusion, periprocedural ICD programming, and pericardiocentesis

Diagnosis:

Ventricular Tachycardia I47.2, Ventricular Fibrillation I49.01, Cardiomyopathy I49.2 Chronic Systolic Heart Failure I50.32, Complete AV Block I44.2

ENDOCARDIAL ABLATION - JAN 2013

•Ventricular tachycardia ablation with electrophysiology study, 3D mapping, LV pace and record

•Intracardiac echo, programmed stimulation and IV drug infusion, periprocedural ICD programming, and pericardiocentesis

Diagnosis:

Ventricular Tachycardia I47.2, Ventricular Fibrillation I49.01, Cardiomyopathy I49.2 Chronic Systolic Heart Failure I50.32, Complete AV Block I44.2, s/p CRT-ICD

ENDOCARDIAL ABLATION - JAN 2013

•Ventricular tachycardia ablation with electrophysiology study, 3D mapping, LV pace and record

•Intracardiac echo, programmed stimulation and IV drug infusion, periprocedural ICD programming, and pericardiocentesis

Diagnosis:

Ventricular Tachycardia I47.2, Ventricular Fibrillation I49.01, Cardiomyopathy I49.2 Chronic Systolic Heart Failure I50.32, Complete AV Block I44.2, s/p CRT-ICD Z95.810

ENDOCARDIAL ABLATION - JAN 2013

•Ventricular tachycardia ablation with electrophysiology study, 3D mapping, LV pace and record
•Intracardiac echo, programmed stimulation and IV drug infusion, periprocedural ICD programming, and pericardiocentesis

Diagnosis:
Ventricular Tachycardia I47.2, Ventricular Fibrillation I49.01, Cardiomyopathy I49.2
Chronic Systolic Heart Failure I50.32, Complete AV Block I44.2, s/p CRT-ICD Z95.810
Cardiogenic Shock

ENDOCARDIAL ABLATION - JAN 2013

•Ventricular tachycardia ablation with electrophysiology study, 3D mapping, LV pace and record
•Intracardiac echo, programmed stimulation and IV drug infusion, periprocedural ICD programming, and pericardiocentesis

Diagnosis:
Ventricular Tachycardia I47.2, Ventricular Fibrillation I49.01, Cardiomyopathy I49.2
Chronic Systolic Heart Failure I50.32, Complete AV Block I44.2, s/p CRT-ICD Z95.810
Cardiogenic Shock R57.0

ENDOCARDIAL ABLATION - JAN 2013

•Ventricular tachycardia ablation with electrophysiology study, 3D mapping, LV pace and record
•Intracardiac echo, programmed stimulation and IV drug infusion, periprocedural ICD programming, and pericardiocentesis

Diagnosis:
Ventricular Tachycardia I47.2, Ventricular Fibrillation I49.01, Cardiomyopathy I49.2
Chronic Systolic Heart Failure I50.32, Complete AV Block I44.2, s/p CRT-ICD Z95.810
Cardiogenic Shock R57.0
Hypoxic Respiratory Failure

ENDOCARDIAL ABLATION - JAN 2013

•Ventricular tachycardia ablation with electrophysiology study, 3D mapping, LV pace and record
•Intracardiac echo, programmed stimulation and IV drug infusion, periprocedural ICD programming, and pericardiocentesis

Diagnosis:
Ventricular Tachycardia I47.2, Ventricular Fibrillation I49.01, Cardiomyopathy I49.2
Chronic Systolic Heart Failure I50.32, Complete AV Block I44.2, s/p CRT-ICD Z95.810
Cardiogenic Shock R57.0
Hypoxic Respiratory Failure J96.91

ENDOCARDIAL ABLATION - JAN 2013

•Ventricular tachycardia ablation with electrophysiology study, 3D mapping, LV pace and record

•Intracardiac echo, programmed stimulation and IV drug infusion, periprocedural ICD programming, and pericardiocentesis

Diagnosis:

Ventricular Tachycardia I47.2, Ventricular Fibrillation I49.01, Cardiomyopathy I49.2 Chronic Systolic Heart Failure I50.32, Complete AV Block I44.2, s/p CRT-ICD Z95.810 Cardiogenic Shock R57.0, Hypoxic Respiratory Failure J96.9, Bradycardia

ENDOCARDIAL ABLATION - JAN 2013

•Ventricular tachycardia ablation with electrophysiology study, 3D mapping, LV pace and record

•Intracardiac echo, programmed stimulation and IV drug infusion, periprocedural ICD programming, and pericardiocentesis

Diagnosis:

Ventricular Tachycardia I47.2, Ventricular Fibrillation I49.01, Cardiomyopathy I49.2 Chronic Systolic Heart Failure I50.32, Complete AV Block I44.2, s/p CRT-ICD Z95.810 Cardiogenic Shock R57.0, Hypoxic Respiratory Failure J96.9, Bradycardia R00.1 (Codes that start with an “R” are considered signs and symptom codes. Do not code signs and symptoms when a diagnosis has been established. (ie SSS) I49.5

ENDOCARDIAL ABLATION - JAN 2013

•Ventricular tachycardia ablation with electrophysiology study, 3D mapping, LV pace and record

•Intracardiac echo, programmed stimulation and IV drug infusion, periprocedural ICD programming, and pericardiocentesis

Diagnosis:

Ventricular Tachycardia I47.2, Ventricular Fibrillation I49.01, Cardiomyopathy I49.2 Chronic Systolic Heart Failure I50.32, Complete AV Block I44.2, s/p CRT-ICD Z95.810 Cardiogenic Shock R57.0, Hypoxic Respiratory Failure J96.9, Bradycardia R00.1 (Codes that start with an “R” are considered signs and symptom codes. Do not code signs and symptoms when a diagnosis has been established. (ie SSS) I49.5

Cardiac Sarcoidosis

ENDOCARDIAL ABLATION - JAN 2013

•Ventricular tachycardia ablation with electrophysiology study, 3D mapping, LV pace and record

•Intracardiac echo, programmed stimulation and IV drug infusion, periprocedural ICD programming, and pericardiocentesis

Diagnosis:

Ventricular Tachycardia I47.2, Ventricular Fibrillation I49.01, Cardiomyopathy I49.2 Chronic Systolic Heart Failure I50.32, Complete AV Block I44.2, s/p CRT-ICD Z95.810 Cardiogenic Shock R57.0, Hypoxic Respiratory Failure J96.9, Bradycardia R00.1 (Codes that start with an “R” are considered signs and symptom codes. Do not code signs and symptoms when a diagnosis has been established. (ie SSS) I49.5

Cardiac Sarcoidosis D86.9

ENDOCARDIAL ABLATION - JAN 2013

•Ventricular tachycardia ablation with electrophysiology study, 3D mapping, LV pace and record

•Intracardiac echo, programmed stimulation and IV drug infusion, periprocedural ICD programming, and pericardiocentesis

Diagnosis:

Ventricular Tachycardia I47.2, Ventricular Fibrillation I49.01, Cardiomyopathy I49.2 Chronic Systolic Heart Failure I50.32, Complete AV Block I44.2, s/p CRT-ICD Z95.810 Cardiogenic Shock R57.0, Hypoxic Respiratory Failure J96.9, Bradycardia R00.1 (Codes that start with an “R” are considered signs and symptom codes. Do not code signs and symptoms when a diagnosis has been established. (ie SSS) I49.5)

Cardiac Sarcoidosis D86.9 (For sarcoidosis in ICD-10-CM, **D86.0** is the code for sarcoidosis of the lung and **D86.2** is the code for sarcoidosis of the lung and lymph nodes (Table Two). **D86.1** should be used for sarcoidosis of the lymph nodes seen in stage I sarcoidosis.)