Elimina la filigrana digital ahora







AVOIDING COMPLICATIONS IN THE CENTRAL SUTURE OF DIFFICULT ABDOMINOPLASTY

DESCRIPTION OF THE FATTY FLAP FOR BETTER CLOSURE.

DR. RODOLFO ESTRADA JALILI M.D.

PLASTIC AND RECONSTRUCTIVE SURGEON .

MEXICAN ASSOCIATION OF PLASTIC, AESTHETIC AND RECONSTRUCTIVE SURGERY (AMCPER). MEMBER ID 1265.

INTERNATIONAL SOCIETY OF AESTHETIC PLASTIC SURGERY (ISAPS). MEMBER ID: 11321

HOSPITAL ANGELES PUEBLA, PUEBLA, MEXICO.

OCTOBER 6-10 , 2017
ORANGE COUNTY CONVENTION CENTER.
ORLANDO, FL.
USA

Elimina la filigrana digital ahora

COMPLICATIONS

These include asymmetry, bleeding, **dehiscence** dog-ears, persistent edema, infection and sepsis, necrosis, necrotizing fasciitis, perforation of internal organs, recurrent panniculus, recurrent protrusion of the abdominal wall, necrotizing fasciitis, scar, sensory loss, seroma, thromboembolism, toxic shock syndrome, umbilical stenosis.








pdfelement

Elimina la filigrana digital ahora



- SAME ABDOMEN?
- SAME TECHNIQUE?

- **DEHISCENCE**

- **WE WILL NOT ALWAYS HAVE DE IDEAL PATIENT**





Our patients SEARCH in Plastic Surgeons solutions not more problems

pdfelement

Elimina la filigrana digital ahora

- **THIS IS THE PROBLEM.**
- DEHISCENCE









pdfelement

Elimina la filigrana digital ahora


SEARCH SOLUTIONS NO MORE PROBLEMS

ALL PATIENTS SEEK EXCELLENT RESULTS-

WE NEED TO BE AMBISIOUS IN OUR TECHNIQUE.







pdfelement

Elimina la filigrana digital ahora



TECHNIQUE

- CREATE A FAT FLAP BASED ON BRANCHES OF THE INFERIOR EPIGASTRIC ARTERY TO AVOID DEHISCENCE COMPLICATION.

- 30 PATIENTS WERE INCLUDED.












pdfelement


Elimina la filigrana digital ahora










pdfelement

Elimina la filigrana digital ahora









pdfelement

Elimina la filigrana digital ahora










pdfelement

Elimina la filigrana digital ahora

VIDEO SUTURE THE FAT FLAP.





pdfelement

Elimina la filigrana digital ahora







PdfElement

Elimina la filigrana digital ahora









THE PERMANENCE OF FATTY FLAP DOES NOT INFLUENCE IN THE RESULT OF THE BODY CONTOUR.

Elimina la filigrana digital ahora

2 MONTHS










PdfElement

Elimina la filigrana digital ahora






2 MONTHS









pdfelement

Elimina la filigrana digital ahora

CONCLUSIONS

THE FATTY FLAP BASED ON BRANCHES OF THE INFERIOR EPIGASTRIC ARTERY IS AN OPTION IN DIFFICULT CASES OF ABDOMINOPLASTY.
PREVENTS DEHISCENCE OF THE CENTRAL AREA OF THE SUTURE.
DOES NOT ALTER THE RESULT IN THE FINAL BODY CONTOUR.