Cancer Science-2013

OMICS Group Conferences
Accelerating Scientific Discovery

3rd World Congress on
Cancer Science & Therapy

October 21-23, 2013 DoubleTree by Hilton Hotel San Francisco Airport, USA

Very high incidence of carcinogenic Human Papilloma Virus Type 16 (HPV-16) was found with Chrysotile Asbestos, and HPV-18, with Teremolite Asbestos, was found in less than 10% in human breast cancer tissues: Their implications in diagnosis, treatment, and prevention of the breast cancer

Yoshiaki Omura
New York Medical College, USA

Abstract

In the past, Human Papillomavirus Type 16 (HPV-16) was mainly considered to be the cause of Cancer in the Oropharynx, as well as in the Genital Organs. Cervical Cancer of the Uterus is the most well-known cancer to be associated with Oncogenic HPV-16. Among the Oncogenic HPVs, Types 16 and 18 are most responsible for the majority of the HPV-caused Cancers. Recently, using EMF Resonance Phenomenon between 2 identical substances,we non-invasively measured HPV-16 and HPV-18 among a group of 20 physicians and dentist, and we found that majority of the physicians and dentists examined have HPV-16 in Oral Cavities and the Oropharynx, but not HPV-18. There were 2 female dentists with breast cancer and strong infection of HPV-16 in the Oral Cavities and Oropharynx. When the author checked their breast cancer positive areas as well as the mammograms of cancer positive areas, Chrysotile Asbestos coexisted and there was a same degree of the strong infection of HPV-16 as found in their Oral Cavities. Then, we examined the published mammograms of women with malignant Breast Cancer published by different institutes, and we found HPV-16 in every one (100%) of the 50 published malignant breast cancer mammograms examined, HPV-18 coexisting in 2 identical Breast Cancers, and 4 independent Breast Cancers infected with HPV-18 coexisting in the same breast. We also discovered that Breast Cancer with HPV-16 always coexists with Chrysotile Asbestos deposit and Breast Cancer with HPV-18 coexists with Teremolite Asbestos. Based on these findings, better method of diagnosis, treatment and prevention with Vaccine can be developed.

Biography

Professor Yoshiaki Omura received Oncology Residency Training and a Doctor of Science Degree through research on Pharmaco-Electro Physiology of Single Cells in Vivo and in Vitro from Columbia University. He published over 250 articles and 7 books. He is currently Editor-in-Chief of Acupuncture & Electro-Therapeutics Research, International Journal of Integrated Medicine, and Executive Editor of Integrative Oncology.Using his new diagnostic method, which received U.S. patent, he can non-invasively and rapidly measure many neurotransmitters, chemicals, asbestos, viruses, and bacteria. He developed a non-invasive, quick diagnostic method of malignancies, as well as a method of evaluating the effects of any treatment.