Title: Assessing the Risk of Fall in Older People through Turning Test

Maryam Ghahramani[1], Fazel Naghdy[2], David Stirling[2], Jan Potter[3], Pascal Perez[1], Melissa Roach[3]

[1] Smart Infrastructure Facility, University of Wollongong, Wollongong, Australia

[2]School of electrical Computer and Telecommunications Engineering, University of Wollongong, Wollongong, Australia


[3]Illawarra Health and Medical Research Institute, Wollongong, Australia

Key Words: Fall Risk Assessment, Balance Assessment among Older People, Fall Risk Analysis through Turning Test

I. Abstract

The feasibility of recognising elderly subjects at risk of falling is explored by generating a Biometric Signature Trajectory (BST) for each subject while turning. Turning is a risky activity for elderly subjects and can lead to falling as it needs greater centre of mass (COM) balance control. The study is based on 45 older and 10 younger subjects. The elderly subjects were categorized into two groups of elderly non-fallers and elderly multiple-fallers based on their history of fall. Subjects were asked to turn a full circle clockwise and then anti-clockwise without stopping between. The angular rotation of chest, pelvis, left legs, and right legs were recorded using a set of inertial sensors. For each subject a unique signature was generated based on a combination of the recorded data of different body parts. DTW (Dynamic Time Warping) was used to measure the similarity of the BST of younger subjects and elderly fallers and elderly non-fallers. The approach is described. It is shown that the proposed method has the potential of identifying elderly subjects with disturbed balance and history of multiple falls from the elderly subjects with no history of fall.

II. Image



III. References

[1] M. P. Boelen, “Turning While Ambulating,” in Health Professionals' Guide to Physical Management of Parkinson's Disease, Human Kinetics, 2009, p. 179.

[2] M. W. Rogers and M.-L. Mille, “Lateral Stability and Falls in Older People,” Exercise & Sport Sciences Reviews:, vol. 31, no. 4, pp. 182-187, 2003.

[3] S. Cummings and M. Nevitt, “A Hypothesis: The Causes of Hip Fractures,” Journal of Gerontology, vol. 44, no. 4, pp. 107-111, 1989.

[5] F. Huxham, R. Baker, M. E. Morris and R. Iansek, “Head and Trunk Rotation During Walking Turns in Parkinson's Disease,” Movement Disorders, vol. 23, no. 10, pp. 1391-1397, 2008.

[6] E. L. Stack, A. M. Ashburn and K. E. Jupp, “Strategies Used by People with Parkinson's Disease Who Report Difficulty Turning,” Parkinsonism & Related Disorders, vol. 12, no. 2, pp. 87-92, 2006.

[7] M. E. Tinetti and C. S. Williams, “Falls, Injuries Due to Falls, and the Risk of Admission to a Nursing Home,” The new England journal of medicine, vol. 337, pp. 1279-1284, 1997.

IV. Biography



Maryam Ghahramani was born in Iran 1988. She received her B. Sc. Degree in Electrical engineering from Shiraz University, Shiraz, Iran. She has finished her PhD in the area of fall risk analysis among older people at University of Wollongong, Wollongong, Australia. She has started her postdoctoral studies at Smart Infrastructure Facility, University of Wollongong, Wollongong, Australia.

V. Presenting Author Details

Full Name: Maryam Ghahramani

Contact number: +61421217033

Category: Oral presentation

Passport Number: H95670294